



Arcade<sup>®</sup>

**LED DOWN LIGHT &  
AUTOMATION  
CATALOGUE**

**07/2026**



LED  
Lighting  
Solutions

# ABOUT ARCADE

Arcade Lighting is a speciality lighting enterprise combining expertise in LED Lighting Solutions. Over 20 years, we have made our presence felt in the industry with our quality range in Industrial, Commercial, Street Lights and Flood Lights under our brand name

The Brand has always been underpinned by knowledge of lighting and profound understanding of its effect on people.

Light is our passion. We have been defining the present and future state of light every day for over 30 years, and with intelligent solutions that not only convince but inspire.

Lighting is simple: we listen carefully and we know the market.

# Services And Manufacturing Provided In House

- Fabrication
- Pretreatment Plant
- Powder Coating Driver
- Manufacturing LED pick
- & place Reflow
- Machine for LED

- Designing
- Quality Check Product
- Customization Service
- within 72 hours Lux
- Report
- Site Support

# Certification


## CE By Technická inšpekcia

CE marking is a certification mark that indicates conformity with health, safety, and environmental protection standards for products sold within the European economic area. The CE marking is also found on products sold outside the EEA that are manufactured in, or designed to be sold in, the EEA.



## ISO by UKAS & NABCB

The International Organization for Standardization (ISO) is an international standard-setting body composed of representatives from various national standards organizations. Founded on 23 February 1947, the organization promotes worldwide proprietary, industrial and commercial standards.



## BIS

The Bureau of Indian Standards is the national standards body of India working under the Aegis of Ministry of Consumer Affairs, Food & Public Distribution, Government of India. It is established by the Bureau of Indian Standards Act, 1986 which came into effect on 23rd December 1986.

# HOME AUTOMATION



▲  
FEATURES


.....

# LED DOWN LIGHTS



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
MOON SLIM 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450x60	-
MOON SLIM 36 600	36W	5040 / 4860 / 4680	100 Lumens / Watt	600x60	-
MOON SLIM 54 750	54W	7560 / 7290 / 7020	100 Lumens / Watt	750x60	-
MOON SLIM 72 900	72W	10080 / 9720 / 9360	100 Lumens / Watt	900x60	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
MOON 22 300	22W	3080 / 2970 / 2860	100 Lumens / Watt	300x90	-
MOON 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450x90	-
MOON 36 600	36W	5040 / 4860 / 4680	100 Lumens / Watt	600x90	-
MOON 54 750	54W	7560 / 7290 / 7020	100 Lumens / Watt	750x90	-
MOON 72 900	72W	10080 / 9720 / 9360	100 Lumens / Watt	900x90	-
MOON 108 1200	108W	14000 / 13500 / 13000	100 Lumens / Watt	1200x90	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
MOON RECESS 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	465x60	450x60
MOON RECESS 36 600	36W	5040 / 4860 / 4680	100 Lumens / Watt	615x60	600x60
MOON RECESS 54 750	54W	7560 / 7290 / 7020	100 Lumens / Watt	765x60	750x60





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
MOON SURFACE 22 300	22W	3080 / 2970 / 2860	100 Lumens / Watt	300x90	-
MOON SURFACE 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450x90	-
MOON SURFACE 36 600	36W	5040 / 4860 / 4680	100 Lumens / Watt	600x90	-
MOON SURFACE 54 750	54W	7560 / 7290 / 7020	100 Lumens / Watt	750x90	-
MOON SURFACE 72 900	72W	10080 / 9720 / 9360	100 Lumens / Watt	900x90	-
MOON SURFACE 108 1200	108W	14000 / 13500 / 13000	100 Lumens / Watt	1200x90	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
MOON TRIMLESS 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450x90	452x90
MOON TRIMLESS 36 600	36W	5040 / 4860 / 4680	100 Lumens / Watt	600x90	602x90
MOON TRIMLESS 54 750	54W	7560 / 7290 / 7020	100 Lumens / Watt	750x90	752x90
MOON TRIMLESS 72 900	72W	10080 / 9720 / 9360	100 Lumens / Watt	900x90	902x90
MOON TRIMLESS 108 1200	108W	15120 / 14580 / 14040	100 Lumens / Watt	1200x90	1202x90





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
IYON DONUT 20 300	20W	2800 / 2700 / 2600	130 Lumens / Watt	300x38x30	-
IYON DONUT 30 450	30W	4200 / 4050 / 3900	130 Lumens / Watt	450x38x30	-
IYON DONUT 36 650	36W	5040 / 4860 / 4680	130 Lumens / Watt	650x38x30	-
IYON DONUT 72 900	72W	10080 / 9720 / 9360	130 Lumens / Watt	900x38x30	-
IYON DONUT 108 1200	108W	15120 / 14580 / 14040	130 Lumens / Watt	1200x38x30	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
DONUT MICRO 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450 Dia x35x35	-
DONUT MICRO 36 600	36W	5040 / 4860 / 4680	100 Lumens / Watt	600 Dia x35x35	-
DONUT MICRO 50 750	50W	7000 / 6750 / 6500	100 Lumens / Watt	750 Dia x35x35	-
DONUT MICRO 72 900	72W	10080 / 9720 / 9360	100 Lumens / Watt	900 Dia x35x35	-
DONUT MICRO 108 1200	99W	13860 / 13365 / 12870	100 Lumens / Watt	1200 Dia x35x35	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
DONUT SLIM 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450 Dia x50x60	-
DONUT SLIM 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	600 Dia x50x60	-
DONUT SLIM 45 750	45W	6300 / 6075 / 5850	100 Lumens / Watt	750 Dia x50x60	-
DONUT SLIM 60 900	60W	8400 / 8100 / 7800	100 Lumens / Watt	900 Dia x50x60	-
DONUT SLIM 90 1200	90W	12600 / 12150 / 11700	100 Lumens / Watt	1200 Dia x50x60	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
DONUT 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450 Dia x65x90	-
DONUT 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	600 Dia x65x90	-
DONUT 45 750	45W	6300 / 6075 / 5850	100 Lumens / Watt	750 Dia x65x90	-
DONUT 60 900	60W	8400 / 8100 / 7800	100 Lumens / Watt	900 Dia x65x90	-
DONUT 90 1200	90W	12600 / 12150 / 11700	100 Lumens / Watt	1200 Dia x65x90	-






**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
DONUT RECESS 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	615 Dia x60	600 Dia x60
DONUT RECESS 45 750	45W	6300 / 6075 / 5850	100 Lumens / Watt	765 Dia x60	750 Dia x60
DONUT RECESS 60 900	60W	8400 / 8100 / 7800	100 Lumens / Watt	915 Dia x60	900 Dia x60
DONUT RECESS 90 1200	90W	12600 / 12150 / 11700	100 Lumens / Watt	1215 Dia x60	1200 Dia x60





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
DONUT TRIMLESS 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450x90	452x90
DONUT TRIMLESS 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	600x90	602x90
DONUT TRIMLESS 45 750	45W	6300 / 6075 / 5850	100 Lumens / Watt	750x90	752x90
DONUT TRIMLESS 60 900	60W	8400 / 8100 / 7800	100 Lumens / Watt	900x90	902x90
DONUT TRIMLESS 90 1200	90W	12600 / 12150 / 11700	100 Lumens / Watt	1200x90	1202x90





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
HEXA 22 450	22W	3080 / 2970 / 2860	100 Lumens / Watt	446 Dia x 90	-
HEXA 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	652 Dia x 90	-
HEXA 50 900	50W	7000 / 6750 / 6500	100 Lumens / Watt	930 Dia x 90	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
HEXA SLIM 30 450	30W	4200 / 4050 / 3900	100 Lumens / Watt	450 Dia x 60	-
HEXA SLIM 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	600 Dia x 60	-
HEXA SLIM 50 900	50W	7000 / 6750 / 6500	100 Lumens / Watt	900 Dia x 60	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library



Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLEEK HEXA 30 600	30W	4200 / 4050 / 3900	100 Lumens / Watt	600 Dia x 15	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
RING 18 300	18W	2520 / 2430 / 2340	80 Lumens / Watt	300Diax35x35	-
RING 27 450	27W	1680 / 1620 / 1560	80 Lumens / Watt	450Diax35x35	-
RING 36 600	36W	2520 / 2430 / 2340	80 Lumens / Watt	600Diax35x35	-
RING 45 750	45W	3360 / 3240 / 3120	80 Lumens / Watt	750Diax35x35	-
RING 50 900	50W	1650 / 1575 / 1500	80 Lumens / Watt	900Diax35x35	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library



Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLEEK 36	36W	5040 / 4860 / 4680	100 Lumens / Watt	595x595x15	-
SLEEK 40	40W	7000 / 6750 / 6500	100 Lumens / Watt	295x1195x15	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SKYLITE 40	40W	3500 / 3375 / 3250	100 Lumens / Watt	595x595x70	570x570x70





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLOT 22	22W	5040 / 4860 / 4680	100 Lumens / Watt	295x295x70	270x270x70
SLOT 36	36W	5040 / 4860 / 4680	100 Lumens / Watt	595x595x70	570x570x70
SLOT ECO PLUS 36	36W	4680 / 4500 / 4320	090 Lumens / Watt	595x595x35	570x570x35
SLOT 50	50W	7000 / 6750 / 6500	100 Lumens / Watt	595x595x70	570x570x70





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLOT 25	25W	3500 / 3375 / 3250	100 Lumens / Watt	595x295x70	570x270x70
SLOT 40	40W	5600 / 5400 / 5200	100 Lumens / Watt	1195x295x70	1170x270x70




# SLOT SUSPENDED



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLOT SUSPENDED 36	36W	5040 / 4860 / 4680	100 Lumens / Watt	600x600x90	-
SLOT SUSPENDED 140	140W	1960 / 1890 / 1820	100 Lumens / Watt	1200x1200x90	-




# SLOT SUSPENDED.

Arcade®



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library



Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLOT SUSPENDED 40	40W	5600 / 5400 / 5200	100 Lumens / Watt	1200x300x90	-





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLOT SURFACE 22	22W	3080 / 2970 / 2860	100 Lumens / Watt	295x295x70	-
SLOT SURFACE 36	36W	5040 / 4860 / 4680	100 Lumens / Watt	595x595x70	-
SLOT SURFACE 50	50W	7000 / 6750 / 6500	100 Lumens / Watt	595x595x70	-




# SLOT SURFACE.



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SLOT SURFACE 25	25W	3500 / 3375 / 3250	100 Lumens / Watt	295x595x70	-
SLOT SURFACE 40	40W	5600 / 5400 / 5200	100 Lumens / Watt	295x1195x70	-




# SOLACE UP DOWN

Arcade®



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library



Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
SOLACE UP DOWN 40	40W	5600 / 5400 / 5200	100 Lumens / Watt	-	230 x 1195 x 50






**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
LIVA EVO SQ 8	8W	#VALUE!	100 Lumens / Watt	105x105x40	90x90x40
LIVA EVO SQ 22	22W	3080 / 2970 / 2860	100 Lumens / Watt	185x185x40	170x170x40





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
RAPID SQ 7	7W	980 / 945 / 910	100 Lumens / Watt	120x120	100x100x35
RAPID SQ 12	12W	1680 / 1620 / 1560	100 Lumens / Watt	145x145	130x130x35
RAPID SQ 18	18W	2520 / 2430 / 2340	100 Lumens / Watt	170x170	150x150x35
RAPID SQ 22	22W	3080 / 2970 / 2860	100 Lumens / Watt	195x195	175x175x35





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library


Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
RAPID RD 7	7W	980 / 945 / 910	100 Lumens / Watt	120 Dia	100 Dia x 35
RAPID RD 12	12W	1680 / 1620 / 1560	100 Lumens / Watt	145 Dia	130 Dia x 35
RAPID RD 18	18W	2520 / 2430 / 2340	100 Lumens / Watt	170 Dia	150 Dia x 35
RAPID RD 22	22W	3080 / 2970 / 2860	100 Lumens / Watt	195 Dia	175 Dia x 35





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library



Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
LIVA 8	8W	1120 / 1080 / 1040	100 Lumens / Watt	130dia x65	115x65
LIVA 15	15W	2100 / 2025 / 1950	100 Lumens / Watt	160dia x65	145x65
LIVA 22	22W	3080 / 2970 / 2860	100 Lumens / Watt	190dia x65	175x65





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
ORBIT 10	10W	1400 / 1350 / 1300	100 Lumens / Watt	100MM DIA	92 Dia x 56mm
ORBIT 14	14W	1960 / 1890 / 1820	100 Lumens / Watt	100MM DIA	92 Dia x 56mm
ORBIT 18	18W	2520 / 2430 / 2340	100 Lumens / Watt	124MM DIA	116 Dia x 58mm
ORBIT 22	22W	3080 / 2970 / 2860	100 Lumens / Watt	124MM DIA	116 Dia x 58mm




# ULTRA SLIM PANEL SQ

Arcade®



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
PANEL SQ 7	7W	980 / 945 / 910	100 Lumens / Watt	100x100	75x75
PANEL SQ 12	12W	1680 / 1620 / 1560	100 Lumens / Watt	152x152	130x130
PANEL SQ 18	18W	2520 / 2430 / 2340	100 Lumens / Watt	180x180	155x155
PANEL SQ 24	24W	3360 / 3240 / 3120	100 Lumens / Watt	217x217	192x192




# ULTRA SLIM PANEL RD

Arcade®



**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
PANEL RD 7	7W	980 / 945 / 910	100 Lumens / Watt	120	95
PANEL RD 12	12W	1680 / 1620 / 1560	100 Lumens / Watt	145	120
PANEL RD 18	18W	2520 / 2430 / 2340	100 Lumens / Watt	190	165
PANEL RD 24	24W	3360 / 3240 / 3120	100 Lumens / Watt	240	215





**Application:** Office buildings, Retail, Supermarkets, Hospitality, Library

Code	Watt	Lumen CW/NW/WW	Efficacy	A x B	C x D x E
RAPID SURFACE 15	15W	1650 / 1575 / 1500	100 Lumens / Watt	146x50	-
RAPID SURFACE 20	20W	2200 / 2100 / 2000	100 Lumens / Watt	146x50	-

